

Laserworld DS-15.000 IP65

From outdoor use to club installs: The **Laserworld DS-15.000 IP65** is a graphics-ready, **15'000 mW full-color** laser with **IP65 rating**. It is perfect for medium-sized nightclub installs or indoor events and looks amazing on professional productions. This semi-professional system pairs high-power output with a tight beam and low divergence, due to its advanced diode setup, making it an affordable laser system for its performance class. Operation is seamless via its intelligent ShowNET mainboard, as well as ILDA, automatic operation, and DMX/Art-Net.

- IP65 waterproof housing
- 15'000 mW guaranteed power
- Graphics capable – 30 kpps @ 8°
- Maximum scanning angle 50°
- Full color mixing – analog modulation
- Extremely sharp, intense beams – ca. 5.5 mm / 1.1 mrad
- Save safety settings directly to the laser; these apply in all modes
- Easy daisy-chaining of multiple units with power, DMX, and ILDA linking
- Free computer control software – Showeditor – upgradable to Showcontroller
- Multiple control modes – Auto, DMX, Art-Net, and ILDA

ShowNET mainboard as standard:

- Various control options:



TECHNICAL DETAILS

Guaranteed Power at aperture	15'000 mW	Laser Source	Diode
Power Red	4'000 mW / 638 nm	IP rating	65
Power Green	4'500 mW / 520 nm	Basic Patterns	over 120 (level, tunnel, grid, waves, etc.) - more can be updated by the user
Power Blue	8`000 mW / 450 nm	Accessories	power cable, manual, interlock, key, full version Showeditor software license included
Beam Specifications	ca. 5.5 mm / 1.1 mrad	Power Supply	85 V - 250 V / AC, 50/60 Hz
Scanner	30 kpps @ 8°	Power Consumption	120 W
Max. Scan Angle	50°	Dimensions	292 x 232 x 201 mm (L x W x H)
Operation Modes	ILDA, DMX, Art-Net, LAN, ILDA streaming, integrated SD card, stand-alone	Weight	11.5 kg
Laser Class	4	EAN / MPN	7640144996086



*Due to Advanced Optical Correction technology used in our laser systems the optical power of each colour within installed laser module(s) may slightly differ from the specification of respective laser module(s). Divergence FWHM average depending on model.