

tarm 11

Demo unit

The tarm 11 is a compact and robust powerhouse. It combines high performance with precision.

- 11'000 mW guaranteed power
- Complex graphics capable - 45kpps @ 8° scanners
- Extremely sharp intense beams - low divergence of <0.8 mrad
- Integrated ShowNET intelligent laser mainboard
- Integrated network switch for linking the control signal
- Control screen for convenient mode selection
- Rugged tour-grade compact housing
- incl. waterproof flightcase



ShowNET mainboard as standard:

- Various control options:

TECHNICAL DETAILS

Guaranteed Power at aperture	11'000 mW
Power Red	3'330 mW / 637 nm
Power Green	4'800 mW / 525 nm
Power Blue	5'010 mW / 455 nm
Beam Specifications	ca. 5.0 mm / <0.8 mrad
Scanner	45kpps @ 8°
Max. Scan Angle	50°
Operation Modes	LAN, ILDA, DMX, Art-Net, integrierte SD-Karte, Automatikmodus, Master-Slave
Laser Class	4

Laser Source	RSL modules
Basic Patterns	more than 120 (Layers, tunnels, grids, waves, etc.)
Accessories	Incl. waterproof flightcase, rain cover, power cable, manual, key, interlock connector, full version Showeditor software license included
Power Supply	85 V - 250 V / AC
Power Consumption	350 W
Dimensions	441/260/153 mm
Weight	17.5 kg
EAN / MPN	R93785



*Due to Advanced Optical Correction technology used in our laser systems the optical power of each colour within installed laser module(s) may slightly differ from the specification of respective laser module(s). Divergence FWHM average depending on model.